

B/O


-9

WASHER

	REVISIONS .								
REV	ECR	DATE	INITIAL	APPROVED					
Α	14-0182	-5 ADDED MISSING DIM OF .520, CH'D DIME WAS .710 IS (.720).	10/15/2014	DJN	VT				
1		-1 AND -3 INSIDE WRENCH CUTOUT TO SMALL WAS 1.625 IS 1.642. CH'D MATERIAL WAS 4140 IS 4140/4142.	11/19/2014	RJC	JAG				
2	15-0155	-1 ADDED NOTE ENGRAVE T/N, S/N, MADE IN U\$A, ADDED ENGRAVE PART MATCH LETTER3 ADDED ENGRAVE PART MATCH LETTER REF15 ADDED NICKEL PLATE FINISH AND NOTE 1 TO BAKE AFTER PLATING.	7/1/2015	RJC	JAG				







DART

DATE

TITLE T/R NUT WRENCH

DWG NO.

SCALE

1:2

ASSY QTY	ASSY QTY	B/O	Part #	UNIT	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.	MAT
			-1	1	TOP	4140 / 4142		2	.x.
			-3	1	воттом	4140 / 4142		3	.X
			-5	1	BOLT	STEEL	(AIRCRAFT SPRUCE) #AN6-12 MODIFIED	4	1. B
		B/O	-7	1	SCREW	22	RND HEAD 1/4-20 X 3/4 (MCMASTER-CARR #91773A540)	1	2. [

SS

1/4 ID (MCMASTER-CARR #98017A660)

REV 2 RBT18001 AT'L DRAWN BY: NELSON UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

.XXX ± .005 FRACTIONS ± 1/8


.XX ± .01 ANGLES ±.5°


X ± .1 SPEC BREAK ALL SHARP EDGES .015 x 45°
OR .015R
DIMENSIONAL LIMITS APPLY AFTER
PLATING USED ON MODEL **BELL 429** 

9/9/2014

SHEET 1 OF 4

	REVISIONS							
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED			
1	14-0214	-1 INSIDE WRENCH CUTOUT TO SMALL WAS 1.625 IS 1.642. CH'D MATERIAL WAS 4140 IS 4140/4142.	11/19/2014	RJC	JAG			
2	15-0155	-1 ADDED NOTE ENGRAVE T/N, S/N, MADE IN USA, ADDED ENGRAVE PART MATCH LETTER.	7/1/2015	RJC	JAG			









NOTE: NICKEL PLATE .0009 - .0011 BAKE AFTER PLATING.


	DART								
TITLE	T/R	NUT	WREN	CH					
DWG NO.		RBT18	3001-1		REV 2				
MAT'L 4140	7 4142		DRAWN BY:	NELSON					
	SS OTHERWISE ENSIONS ARE I		APPROVED	R Clou	gh				
.xxx ± .01	0	IONS ± 1/8	HEAT TREAT	RC 30-32	,				
.XX ± .03		GLES ±.5°	FINISH	SEE NOTE					
	LL SHARP EDG	ES .015 x 45°	SPEC						
OR .015R				SED ON MODEL					
2. DIMENSIC PLATING	ONAL LIMITS AF	PLY AFTER	E	BELL 429					
SCALE	1:2	DATE 9/	9/2014	SHEET 2 O	F 4				





TOP

	REVISIONS							
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED			
1	14-0214	-3 INSIDE WRENCH CUTOUT TO SMALL WAS 1.625 IS 1.642. CH'D MATERIAL WAS 4140 IS 4140/4142.	11/19/2014	RJC	JAG			
2	15-0155	-3 ADDED ENGRAVE PART MATCH LETTER REF1.	7/1/2015	RJC	JAG			











(-3) BOTTOM NOTE: NICKEL PLATE .0009 - .0011 BAKE AFTER PLATING.


DART								
T/R	T/R NUT WRENCH							
DWG NO.	RBT18	3001-3		REV 2				
MAT'L 4140 / 4142		DRAWN BY:	NELSON					
UNLESS OTHERWISE DIMENSIONS ARE II		APPROVED	R Cloud	rh				
VVV 1 040	IONS ± 1/8	HEAT TREAT	RC 30-32					
VV + 02	GLES ±.5°	FINISH	SEE NOTE					
1. BREAK ALL SHARP EDG	ES .015 x 45°	SPEC						
OR .015R	DIVATED	USED ON MODEL						
2. DIMENSIONAL LIMITS AP PLATING	PLT AFIER	-	BELL 429					
SCALE 1:2	DATE 9/	9/2014	SHEET 3 OF	4				

	REVISIONS								
RI	ΕV	ECR	DATE	INITIAL	APPROVED				
,	A	14-0182	-5 ADDED MISSNG DIM OF .520, CH'D DIM WAS .710 IS (.720).	10/15/2014	DJN	VT			
	2	15-0155	-5 ADDED NICKEL PLATE FINISH AND NOTE 1 TO BAKE AFTER PLATING.	7/1/2015	RJC	JAG			









SECTION A-A

(-5)

**BOLT** 

NOTE: 1. NICKEL PLATE .0009 - .00011 BAKE AFTER PLATING.

	DART								
TITLE	T/R	NUI	١,	WREN	CH				
DWG NO.		RBT	18	3001-5		REV 2			
MAT'L STEEL				DRAWN BY:	NELSON				
	THERWISE			APPROVED	R Clou	ah			
.xxx ± .010		IONS ± 1/8		HEAT TREAT					
.XX ± .03		GLES ±.5°		FINISH	NICKEL PLATE				
1. BREAK ALL S	HARP EDG	ES .015 x	45°	SPEC	SEE NOTE				
NC10. NO				US	SED ON MODEL				
2. DIMENSIONA PLATING	L LIWIIIS AP	PLT AFIE	ĸ		BELL 429				
SCALE 2	::1	DATE	9/	9/2014	SHEET 4 OI	- 4			